

NOW 10 CENTS

AVIATION

AUGUST 28, 1922

Issued Weekly

PRICE 10 CENTS



Catapult Launching of Vought Seaplane from U.S.S. Maryland

VOLUME XIII
Number 9

SPECIAL FEATURES

ORGANIZATION AND FUNCTION OF NAVAL AVIATION
NAVY OPPOSES SINGLE AIR FORCE
THE BRITISH NAVY AND AVIATION
U. S. NAVAL AIRSHIP ZRI
AIR LEGISLATION ONE HUNDRED YEARS AGO

THE GARDNER, MOFFAT CO., INC.
HIGHLAND, N. Y.
225 FOURTH AVENUE, NEW YORK

Four
Dollars
a Year

LEARN TO FLY NOW!



FLYING is destined to become one of the foremost professions in the world. It is also destined to become one of the most profitable. But the rewards will go only to the men who get into aviation now—while the industry is yet young. These are the men who will get the good jobs, the important positions, the big salaries.

You can be one of these men. The first necessity is training. You must learn all about airplane structure, airplane engines, and aerodynamics. You must learn how to fly—how to be a pilot.

WHERE TO LEARN

There is just one place where you can get the broadest knowledge of airplanes and the most thorough training in flying. That place is Dayton, Ohio—the birthplace of the airplane—the leading city in aviation progress.

In Dayton you will be taught mastery of the air on the great flying field of the Dayton Wright Company. You will learn flying under the supervision of expert and experienced teachers—men who have flown thousands upon thousands of miles and know exactly how to teach you what they have learned. You will use the very latest types of training planes. You will learn flying by the modified Gossport System.

As a pupil of the Dayton Wright Company you will have the opportunity of visiting McCook Field—the Engineering Division of the Army Air Service. Here you may study at first hand the designing and building of many types of military aircraft.

As a pupil of the Dayton Wright Company you will learn more than flying. You will learn the principles of standard airplane design, and many other things essential to real knowledge of commercial flying.

With Dayton Wright facilities and Dayton Wright methods of training you will gain in the shortest possible time that knowledge absolutely essential to your success in this great new profession of flying. The time to learn is now—when you can still get in on the ground floor.

WHAT TO DO FIRST

You know that flying has a limitless future. You know that you can rise with the industry—if you only have the necessary knowledge. You know that the sensible place to acquire this knowledge is at the Training School for Pilots conducted by the Dayton Wright Company—a training school located in the very center of airplane knowledge and progress.

Then the first thing for you to do is to write this company for full information regarding their Training School. You can make your future what you will by learning mastery of the air. Send now for full details. There is no charge—no obligation—no reason why you should delay a moment in sending for complete free information on the course of instruction offered by the Training School for Pilots.

DAYTON WRIGHT COMPANY

DAYTON, OHIO, U. S. A.

"The birthplace of the airplane"



There is no other flying boat of such quality and with such a wonderful record—at such a price.

Aeromarine
EST. 1911

**NAVY U.S. LIBERTY
ENGINEED FLYING BOATS**

*Write for Illustrated
Description Price List*

A PRICELESS ASSET.

All over the world to-day the AEROMARINE name stands for the greatest development in commercial aviation in America—The Public here talks in AEROMARINE. By purchasing an AEROMARINE flying boat you are assured of the finest workmanship and performance—Backed by the largest flying boat company in the world—The allegiance of AEROMARINE owners to the AEROMARINE name is indeed a priceless asset.

Aeromarine Engineering and Sales Co.

1800 Times Building, New York

THE LEADER OF COMMERCIAL AVIATION IN AMERICA—AEROMARINE

Aircraft Year Book 1922

Published by

Aeronautical Chamber of Commerce of America, Inc.

250 Pages Text - 40 Pages Illustrations - 60 Pages Aircraft and Engine Drawings

TABLE OF CONTENTS

CHAPTER

- I Review of Commercial Aviation During the Year—Aircraft Demonstrates Practical Utility—Significance of Aircraft Building Demonstrations—Air Law in Sight—Aeronautical Chamber of Commerce Organized
- II Problems of Aerial Transportation—Capital, Terminals, Reliability—Needs Which Can Be Met Through Aerial Law—Report to Secretary of Commerce on Safety in Flight
- III The Air Demonstrates its Command of the Sea—The Berlioz Bombing and Consequences on the Limitation of Armaments
- IV Review of Aeronautics Throughout the World, Nation by Nation
- V Technical Progress in Aircraft Construction During the Year
- VI Aircraft in Commerce

HISTORICAL DESIGN SECTION

APPENDIX

Commercial Section: Aeronautical Chamber of Commerce of America, Inc.; Manufacturers Aircraft Association, Inc.; U. S. Air Service, War Department, Organization, Offices on Duty in Washington; Army Corps Aeronautics and Development, Division and Activities.

Branch of Aeronautics, Navy Department, Organization, Offices on Duty in Washington, Offices on Duty in Fleet, Naval Air Stations.

Marine Corps, Navy Department, Organization, Offices, Aeronautics Section.

Strength of U. S. Air Force (Army, Navy, Marine Corps), Diplomatic Service of the U. S.; Air Attaches, War Department; Air Attaches, Navy Department, Diplomatic Service to the U. S.; Foreign Air Attaches; Aeronautical Board, Personnel and Commissions; Helium Board, Board of Surveys and Maps, Department of Interior.

Aircraft Appropriations, Finance; Aircraft Appropriations, U. S.; Military, Naval, Postal, Aircraft Production Com. 1917-1920; Foreign Subsidies for Civilian Aviation; Aeronautical Commissions Report on Aircraft.

Air Mail Service, Post Office Department, Executive; Air Mail Field, Transportation Control, Plans in Service; Consolidated Statement of Performance, May 25, 1922—Dec. 31, 1921; Forest Fire Patrol, Department of Agriculture; National Advisory Committee for Aeronautics; Organization, Summary of Reports, Periodically Letter of Transmittal, Customs Regulations, Treasury Department, Public Health Service, Treasury Department, Aircraft Imports and Exports, Bureau of Standards, Department of Commerce, Bureau of Foreign and Domestic Commerce, Aeronautics Division, Department of Commerce, Air Law Section, War Department, Bureau of Civilian Aviation in Department of Commerce, Public Health Service, National Vigilance Committee, Associated Advertising Clubs of the World, Aircraft Inspection, National Aircraft Underwriters Association, College and Schools Offering Courses in Aeronautics, Landing Field and Air Terminals, Clerks in 1921, Remarkable Aeronautical Performances, 1921, World's Records, 1921, Trade Index.

\$3.20 Postpaid

GARDNER, MOFFAT CO., Inc.
225 Fourth Ave., New York City

Continued—

Enclosed please find \$..... for..... copies of Aircraft Year Book, 1922.

Name.....City.....

Street.....State.....

AUGUST 28, 1922

AVIATION

VOL. XXIII NO. 9

Member of the Audit Bureau of Circulations

CONTENTS

Editorials	247	International Air Congress, London, 1922	257
Organization and Function of Naval Aviation	248	Flying Meet at Turin, Mo.	258
Air Legislation One Hundred Years Ago	253	The Boston Airport	255
Harry Oppenham Single Air Force	252	Record Packard Engine Performance	259
Fisher 83 Training Plane	254	Competitors for the Swedish Cup	260
The British Navy and Aviation	255	Reply to Criticism of Strong Article	260
U. S. Naval Airship 1921	254	Army and Navy Air News	261
Performance Helicopter Development	254	Foreign News	264
Portable Air Mail Service	257		

T. S. GARDNER, MOFFAT COMPANY, Inc., Publishers

ROCKLAND, N. Y.

225 FOURTH AVENUE, NEW YORK

Subscription price: Four dollars per year. Single copies ten cents. Canada, five dollars. Foreign, six dollars a year. Copyright 1922, by the Gardner, Moffat Company, Inc.

Issued every Monday. Forms close ten days previously. Entered as second-class matter Nov. 28, 1910, at the Post Office at Rockland, N. Y., under act of March 3, 1879.


THOMAS-MORSE AIRCRAFT CORPORATION

CONTRACTORS TO U. S. GOVERNMENT

ETHACA,



NEW YORK



CHARACTERISTICS
THE WRIGHT T-2

Type	As War-T-2 now used
Number of Cylinders	Twelve
Rev.	1,750 rpm
Stroke	5.5 inches
Displacement	1,000 cubic inches
Rated H.P. on Sea Load, per W.P. on 11.5 P.M.	150
Length Overall (including propeller shaft)	44.5 in.
Width Overall	24.5 inches
Height Overall (including intake air duct)	24.5 inches
Oil Consumption (on sea M.P. 30°)	1.5 lb. per hour
Oil Consumption (on sea M.P. 40°)	1.5 lb. per hour

Wright D-1 400 H.P. A heavy oil engine, heavy duty engine, per design for higher altitude work, designed for the U.S. Navy.

AN AMERICAN DEVELOPMENT IN SEAPLANE ENGINES MARKING A DISTINCT ADVANCE

The Wright T-2 is a large twelve-cylinder, water cooled type, designed for the Navy Department, for use in Bombing and Observation planes.

The prime requirements for this type of work are

low fuel consumption, flexibility and absolute reliability.

While economy and reliability are more essential than weight, this engine weighs less than two pounds per horse power at its higher range.

Wright Aeronautical Corporation, Paterson, New Jersey, U.S.A.

WRIGHT

AERONAUTICAL CORPORATION
PATERSON, NEW JERSEY, U. S. A.

L. D. CLARK
PRESIDENT
W. D. MORTY
VICE-PRESIDENT
W. J. SEAMAN
TREASURER
GEORGE NEWBOLD
MANAGING EDITOR

Vol. XIII

AUGUST 28, 1922

247

AVIATION

LAMAR L'ORRY

248

VINCENT E. CLARK

EDWARD F. WARD

PAUL H. UPSON

CONTRIBUTING EDITORS

No. 8

The Bureau of Aeronautics

THE comprehensive statement regarding the Bureau of Aeronautics of the Navy Department by Admiral Moffett in this issue gives a clear outline of the work of this new branch of the Navy.

The formation of an agency within the Navy Department to concentrate on aeronautics and to have centered in one group all air activities was a wise move. It was long urged by those whose belief in the utilization of air power by the Navy had been retarded by the scattering of responsibility for aerial development among the various bureaus. Now that the organization of the Bureau has been completed and is functioning, it is timely to have its duties and objectives so clearly outlined.

As will be seen, the Bureau is thoroughly awake to the imperative need of aircraft both with the fleet and on shore. The shore development has been a comparatively easy matter. Here no old prejudices or mechanical limitations were encountered. Flying fields, training stations and experimental facilities could be started without interfering with the Navy routine. It has been a greater problem to demonstrate that aircraft should render a practical and efficient service.

The natural hesitancy of naval officers to place reliance on new devices is based on long experience. Perhaps those interested in a broad utilization of aircraft have been impatient with the reluctance shown in the Navy to use airplanes to their ultimate purpose. The launching of the last year were perhaps more responsible for the awakening of the Navy to an appreciation as to the possibilities of aircraft than any other influence. There is no argument so strong as a practical and successful test.

In the absence of aircraft carriers, some method of using heavier-than-air and lighter-than-air ships with the fleet had to be devised. The catapult has been developed to a point where it is a success. This achievement has been one of the noteworthy advances made by the Bureau for while the idea has been in work for several years, its practical application has only been brought about in the last year.

The production of types of aircraft suitable for Naval use has progressed to a point where the Navy now has airplanes which can be used as a basis of future design. The Philadelpha Navy Yard in Detroit will give the public an opportunity to learn more as to the speed and performance of these naval aircraft.

In lighter-than-air, the Bureau has a building program that will give the United States the beginning of a dirigible fleet which can demonstrate the usefulness of these craft. The big ZR-1 now under construction at Lakehurst and the ZRS from Germany will give the United States an opportunity to learn the comparative merits of the two latest types of bag dirigibles.

Admiral Moffett's ability as an organizer and his belief in the necessity of the Navy having air protection has brought great credit to the Bureau of which he is chief.

Soaring for Two Hours

WHILE it is too early to comment in a technical way on the remarkable performance of the German student Hentner who remained in the air for over two hours in a motorless glider, the feat is so important that the entire aviation world will be eager to learn more of the details.

That the students of the Hunsacker Technical School have made a great contribution to the science of flying is evident. Soaring flight and hovering have long been the goal of many experimenters. And had the success come to one of the recognized designers the achievement would not have been so great. But the backing of gliders and gliding appears to be early within the reach of younger students of aviation.

A work of nature regarding the difficulties of glider competition may be timely. A glider is perhaps the most difficult of all aircraft to fly owing to its lack of power as an emergency. The experience should not prevent that glider flight is easier than power flight. It not only requires all the skill of an airplane pilot but a great knowledge of the air currents as well.

Two hours in the air without power! And this following a remarkable flight of sixty-five minutes by another student shows that the record is not a fresh performance. Rising several hundred feet above his starting point Hentner hovered on the scale of a slight breeze until he had passed the two hour period by ten seconds. Without a doubt their flights mark a new epoch in aviation.

Detour in October

EVERYONE with any interest in heavier-than-air aviation will find Detour the most interesting place in the world in early October. The students and the convention promise to make aviation history.

The Army and the Navy are entering aircraft of every type that come within the scope of the meet and the results will probably give the world new records in speed and endurance.

The National Aeronautics Convention will represent the country with a powerful aerial association with influential local representation. That such an organization has been needed has been recognized for a long time. The Aero Club of America while performing the function of a national body has too limited in its scope to attract country wide support. With an aviation congress on a fixed yearly point of contact a new spirit of enthusiastic aviation cooperation will pervade the whole country.

The arrangements that have been made by the Detroit Aviation Society are being perfected so that all visitors will find their time fully occupied with aviation. Such an undertaking requires great effort as preliminary representation but with the aid of all visitors, Detroit will make this occasion mark with the early Belmont Park and Chicago meets.

The U. S. Navy Airship ZR1

Detailed Description of America's First
Rigid Airship Now Under Construction

Envision of one of the very largest airships ever built, the ZR1, is going on space in the big shed at Lakehurst, N. J., under the eye of the Navy engineers.

This is America's first rigid airship, and it is entirely of American construction. Another ship, the ZR2, is being built in the Zeppelin factory by Gothaer Werke delivery to the United States under the terms of peace. This latter will be purely of a commercial type. To what use it will be put has not yet been decided, but it is possible that it may be used as an experimental passenger liner, for it will represent the last word in foreign airship construction.



ZR1 in the hull appears covering being

Following are the construction details of the ZR1

General Form

The streamlined hull, with 35 feet rounded in the bow and tapered at the stern, is a very simple form, but for hydrogen-oxygen, perhaps, hydrogen-though, the system of ventilation provides for the admission of all hydrogens that may escape through valves or otherwise.

Along the lower part of the hull there is on the inside keel, triangular in cross-section, forming communicating corridor between the different parts of the ship.

To the hull are suspended six cars, one forward, a control and power car, in two parts, two pairs of lateral ("wing") cars, and one car aft. The after end of the hull curves from the two horizontal and two vertical, the elevation and direction renders forming elongation of the fin.

In the larger part of the hull, the cross-section has the form of a 20-sided polygon, though the bottom panels are slightly wider than the other 20, which are all equal. The number of faces of the polygon is reduced at the after end.

Principal Characteristics

Length overall, 696 ft.; height 93 ft.; diameter 76 ft., horsepower 1100, speed, 50 m.p.h. gas volume 2,135,155 cu. ft.

Frame

The rigid frame of the hull, covered with cotton cloth laid over the main longitudinal, is made up of boxed girders of duralumin, made in America and developed for airship work at the machine of the Navy. These girders follow the membrane of the ship and form the sides of the face or panel.

The girders set on transverse frame, also consisting of duralumin girders forming polygons. Certain main transverse ones are based in three places by a system of steel bracing connecting the surfaces. The gas bags are placed between these frames.

Main Transverse

The hull has twenty-one main transverse, dividing the hull

into twenty compartments. Each compartment, except that of the after end, contains a gas bag. The illustration shows one of the main transverse as put together at the Philadelphia Naval Aircraft Factory. It consists of a system of peripheral girders surrounding the longitudinal girders in pairs and thus forming a 20-sided polygon. The thickness corresponding girders are the main longitudinal. In the middle of each side of the polygon is a king post directed toward the center, lateral inwardly for two adjacent girders. On the outside, the king post projects slightly and supports the intermediate longitudinal girders located between the main longitudinal girders.

Supplementary girders define the corridor and face, with one of the longitudinal girders, the general skeleton of the hull. Certain of the transverse have no king post. They are similar to the intermediate transverse but they have a system of interior brace wires.

Intermediate Transverse

Halfway between two consecutive main transverse is an intermediate transverse. Each transverse has a simple system of peripheral girders forming a 20-sided polygon. Each vertex supports alternately a main longitudinal and an intermediate longitudinal girder. Two girders define the corridor. These transverse are also stiffened by interior brace wires. Between certain transverse of the bow and stern are supplementary intermediate transverse.

Communication of Girders

The girders constituting the longitudinal and the transverse, an also most of the various girders of the skeleton, are of triangular cross-section. The king posts are quadrilateral. The main longitudinal are the strongest and are about 350 mm. high, the lighter intermediate longitudinal being about 210 mm. high.

These girders consist of longitudinal members of rolled



Old Photo, U. S. Navy

A view of the rigid airship ZR1 in the hull of the ship, with the upper covering being lowered.

sheet duralumin, braced by lattice made of stamped sheet duralumin. The thickness of the members varies from 0.8 to 2 mm.; that of the stampings varies from 0.4 to 0.6 mm. The lattices are riveted to the members and also riveted together in pairs at their intermediate points.

The girders are assembled by gaskets of filled sheet metal and by brackets riveted to the girder beams.

Brace Wires

The vertices of the main transverse are joined by stays of piano wire, without adjusting devices, simply given an initial tension. The diameter is 2.5 or 3 mm. A complete number of them end at the upper edge of the keel and at the two longitudinal girders of the keel. Double stays in the main transverse cross each other near the upper and are fastened at the point of intersection by a system of rings, to which is attached a longitudinal cable traversing the gas bags. This latter forms a point of support in case of a difference of pressure in two adjacent cells and especially in the case of a rupture of one bag. Under these conditions the stresses are limited in the transverse.

Longitudinal Girders

In the face of the polygon the vertices of the transverse and the girders are joined by diagonal beams of piano wire, which are set up with an initial tension.

One system of wire diagonals extends over the whole surface of the airship, occupying all the side. The wires are 2.5 mm. in diameter in the form of the upper and lower parts of the hull, and 3 mm. in the face near the keel. The main diagonals join the points of the main longitudinal and the main transverse and cross over the point of the intermediate transverse and intermediate longitudinal.

A further system of secondary diagonals is fitted in the panels between certain of the girders. Below these girders there are no secondary diagonals, occupying in series heavily stressed regions, in the vicinity of the stern, for example.

The secondary diagonals of 2 mm. wire join two by two the ends of the main longitudinal and of the main transverse neighboring transverse, one main and the other intermediate. At their intersection they pass through a fitting, riveted to the intermediate longitudinal between the main longitudinal.

Brace wires are attached to the girders by eyelets. Loops are fitted and secured by winding with steel wire and

Gas Bags

The gas bags occupy the space enclosed between the longitudinal and the main transverse. The total volume of the gas bags is 2,135,155 cu. ft. The fabric used is a cotton cloth covered with gold-beater's skin. They are attached to the framework about the ridge girder section of the main transverse and longitudinal.

A set of valve covers (closed along the longitudinal girders) hold the bags. The set is in turn supported by a wire net. The latter consists of a double system of piano wire 1.5 mm. in diameter, connecting the girders. The coils of these wires pass through eyelets in the fittings on the girders.

Valves

Each gas bag or cell is provided with an automatic valve, regulated to open when a certain pressure is reached. These are arranged in pairs, opposing each other, at the base of an angle element or rib starting from the top of the keel and ending at the top of the ship under an inclined hood protecting it. The exceptions to this are that in the bow the cells discharge through shafts having openings on the side of the ship to prevent the passage of air mixed with hydrogen near the machine gas plant.

Some of the coils have hand-controlled valves which are attached to a frame secured in the top girder of the ship. These valves also open into hoods, directed aft.

Keel

The framework of the keel is made up of girders and transverse frames spaced about every 2.5 ft. A cable is attached in the plane of the main or intermediate transverse, the cable halfway between these points. The lateral faces of the keel are braced by piano wires throughout their length. The lower face is braced in pairs.

The bottom face of the keel also forms the base of a parallelogram keel of triangular cross-section. Braced on the inside of the keel, extending gradually in its full length, the wires are in communication between the stern and the different parts of the keel. The keel also carries the engine, fuel tank, propeller, bow, stern parts, hatches, etc. for the crew, etc.



Two assembly cranes of the ZR1



From the corridor one may descend into the control and power car by aid of a streamlined ladder.

Ballast

The ballast consists of water, carried in bags of a capacity of 550 and 325 lb. These are suspended from two longitudinal girders which run along each side of the keel. Two of the main transverse also carry many small bags called emergency ballast bags holding 550 lb. each. These are especially designed for use when landing.

Gasoline Tanks

The gasoline tanks are of about 500 gal. capacity and are suspended from the main girders on the ballast bags. Each engine has two of the tanks on foot tanks. The other tanks contain the reserve gasoline which is transferred to the

Airplane Engine Encyclopedia

BY GLENN D. ANGLE

In Charge of Design of Airplane Engines for the U. S. Air Service

A comprehensive work of recognized authority. The most complete and thorough survey of the World's airplane engine development obtainable.

Beautifully illustrated on heavy coated paper with fine drawings and photographs.

Contains all available data on every model of airplane engine, alphabetically arranged.

Includes approximately

800 Engines

800 Illustrations

600 Pages

An invaluable reference book for engineers and designers as well as everyone interested in aircraft power plants.

\$7.50 POST PAID

COMBINATION OFFER:

A year's Subscription to AVIATION,	\$4.00	\$9.50 post paid in U. S.
Angle's Airplane Engine Encyclopedia,	\$7.50	
Total	\$11.50	

Combination for Canada—\$10.50, Foreign—\$11.50

Only a few copies are available at the special low combination price. Indicate on the coupon which offer you wish to take advantage of.

GARDNER-MOFFAT CO., Inc.
225 4th Ave., New York

Enclosed find \$—, for which send me post paid — copies of the Airplane Engine Encyclopedia, and AVIATION for one year, as per your combination offer.

(Name)

(Address)

ATTENTION AVIATORS

Here are Prices You Cannot Afford to Miss

New J84D—Complete, Set up	\$945.00	Leading gear—new, with axle, wheels, tires & springs	\$40.00
Used J84D—Complete, Set up	\$500.00	Leading gear—new, less wheels and tires	20.00
Used J84D—as is, on field not set up	450.00	Leading gear—new, less wheels, tires & axles	16.00
Used Fuelage—new wings & motor—set up	750.00	Wheels—new	5.00
Used Fuelage—with used motor	500.00	Gdy Cord Casing	3.50
Used Fuelage—less motor	100.00	Tubes	1.50
Wings—Single	45.00	Propellers	15.00
Wings—Set of four and Adverser	35.00	Motors—new	350.00
Adverser	4.00	Motors—used	175.00

USED SHIPS ARE IN FIRST CLASS CONDITION.

Ready to fly. No cracked ribs. No freight. No extra.

KOKOMO AVIATION CORP.

BOX 77

KOKOMO, IND.



Illustration that if you show your air plane home on field for low tuition. (Illustrated) making offer.

Course includes everything pertaining to flying, ground work, assembly, wiring, small photography, field management, etc. The Ralph C. Diggins School of Aeronautics Dept. 18 140 N. Dearborn St. Chicago, Ill.

LEARN TO FLY

Learn to fly in the oldest and most successful commercial aviation school in America.

Many Diggins graduates are prominent aviators. The Diggins school has in its field, seven type planes, equipped with motor, battery and engine.

Course includes everything pertaining to flying, ground work, assembly, wiring, small photography, field management, etc. The Ralph C. Diggins School of Aeronautics Dept. 18 140 N. Dearborn St. Chicago, Ill.

LINCOLN STANDARD AIRPLANES

BEST IN THE WEST

\$2950 Buys any standard model \$2950 \$5485 Buys our enclosed coach \$5485

All models equipped with 1500 motor of the 150 and 180 H. P. type. Lincoln Standard Airplanes are the finest in performance, are consistent, with sturdy and conservative construction. A and three passenger commercial airplane.

Agents wanted Write us today for literature and our agency proposition.

LINCOLN STANDARD AIRCRAFT CO.
Lincoln, Neb.

EDWARD P. WARNER

Consulting Aeronautical Engineer

Mass. Institute of Technology
Cambridge, Mass.



An Unrivalled Record

Since 1909, airplanes of Martin design and manufacture have consistently established records for performance, reliability and economical operation.

Government records of Air Service flying time reveal the fact that up to 1916 army officers spent more hours in the air in Martin planes than in all other makes combined -- and without a single serious accident.

Army and navy flight records, up to 1922, show that in all the thousands and thousands of miles flown by Martin planes, only one accident occurred in which an army or navy officer was killed, which was due to the plane being caught in a storm in the mountains.

When the great tests were made last summer 100 miles off the Virginia Capes, at the time of sinking the German battleships, a squadron of Martin Bombers flew without flotation gear of any kind, and without a single let-down at sea -- total bomber plane miles flown for the entire project, 140,000.

Back of this unrivalled record lies a constantly increasing ability to produce, spurred ever onward by an engineering and development organization now stronger than ever before in the history of the Company.

THE GLENN L. MARTIN COMPANY

CLEVELAND